

**IMPLEMENTATION, NUMERICS, AND
APPLICATIONS OF DUALITY FOR
OPTIMAL STOCHASTIC SWITCHING**

PIYACHAT LEELASILAPASART

A thesis submitted for the degree of
Doctor of Philosophy

Faculty of Science
University of Technology Sydney

April 2021

CERTIFICATE OF ORIGINAL AUTHORSHIP

I, Piyachat Leelasilapasart, declare that this thesis, is submitted in fulfillment of the requirements for the award of the Doctor of Philosophy, in school of Mathematical and Physical Sciences at the University of Technology Sydney. This thesis is wholly my own work unless otherwise referenced or acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis. I certify that the work in this thesis has not previously been submitted for a degree nor has it been submitted as part of the requirements for a degree at any other academic institution.

This research is supported by the Australian Government Research Training Program.

Production Note:

Signature: Signature removed prior to publication.

Date: 19 April 2021

ACKNOWLEDGEMENTS

This thesis and my Ph.D. journey could not be completed without the contribution of a number of people.

Foremost, I would like to express my sincere gratitude and deep appreciation to my supervisor, Associate Professor Dr. Juri Hinz, for introducing me to the wonderful world of dynamic programming, optimal control, and Julia programming. His continuous support, guidance, immense knowledge, motivation, and patience helped me go through the whole process of fine-tuning my research interest, writing, and finishing this thesis. He was with me to congratulate me during good times and support and resolve the problems I encountered.

I am very grateful to Professor Dr. Tony Moon for his invaluable guidance and support throughout my doctoral study and his valuable time to proofread my thesis and comment. Thank you so much for congratulating me during good times, supporting, encouraging, and resolving the problems I encountered.

Most importantly, I would like to express my gratitude to the Royal Thai government for the financial support and the staff at the Office of Educational Affairs, Royal Thai Embassy, Australia, for assistance and emotional support. It has been an excellent opportunity to gain more knowledge and experience abroad in Australia.

I would like to thank the Department of Applied Statistics, Faculty of Applied Science, King Mongkut's University of Technology North Bangkok, Thailand for giving me the opportunity to pursue my doctoral study.

Sincere thank also goes to Mr. Robert Duffield for his helpful and valuable assistance to proofread my thesis and correct English grammar.

My journey could not have happened without support from friends. Usarat Thirathorn for being a sister and giving me the opportunity to explore the world of business. This gave me have the opportunity to explore Australia more often, Pattanapong Chantamito-pas for being a big brother of UTS Thai Ph.D. students, Kanlaya Jongcherdchootrakul, Yutthapong Tongpob and Prapawan Krommarin for being wonderful friends, supporters,

and travel mates, Parinya Ekparinya for being a programming helper, and photography travel-mate. Yingyod Lapwong was a good friend who opened the world that I had not had a chance to see without you.

Besides study, I would like to thank Varakorn Sirinithi for being a brother and giving me the opportunity to be the Intouch Event coordinator. Pattarapruet Chaiyadech for being a good friend, good work companion, and emotional supporter. I would also like to thank all friends in Thailand and Sydney for all their support and encouragement.

In addition, I would like to express my gratitude for my success to my grandmother and grandfather. Even though they are not beside me but they are in my heart. I know both of you are smiling from somewhere.

To pursue a Ph.D. at the age of 39 is not easy, especially during the COVID-19 crisis, thanks to myself for being strong and patient enough through a difficult time.

Last but not least, I would like to thank my parents, Paiboon and Vasana Leelasilapasart, for their unconditional love, encouragement, patience, and support. For me to pursue a Ph.D. in another country, many sacrifices were required by myself and my parents. Thank you for believing in me and standing beside me. As promised, finally, I make their dream come true.

ABSTRACT

This thesis presents an implementation of algorithms using the scientific computing programming language, Julia. These algorithms are of the primal-dual kind and consequently gauge the distance of given approximate solutions to the optimal one.

The thesis explores a novel technique, based on a combination of primal and dual methods, to address complex problems. The primal (sub-gradient based approach) method for the approximate solution of discrete-time stochastic control problems is used to obtain approximate solutions. Furthermore, the duality method (pathwise dynamic programming) is combined to examine the numerical quality of solutions.

In the implementation, k-Means Clustering and Nearest Neighbor Search techniques are used to speed-up the computational effort. The use of the dynamic language programming Julia allows accurate procedures to find the optimal solution and returns tight confidence intervals with small standard errors.

The implementation package `rcss` is used to experiment with battery storage system problem and is published online via the author's GitHub. The topics of complex decision problems such as pairs trading, commodity rollover, and farm and agriculture management are discussed and developed for future research. Moreover, a variable reduction technique is considered, and concepts on its implementation have been developed in the thesis.

Contents

| | |
|---|-----------|
| Certificate of authorship | iv |
| Acknowledgements | vii |
| Abstract | ix |
| List of Tables | xiii |
| List of Figures | xiv |
| 1 Introduction | 1 |
| 1.1 Background | 1 |
| 1.2 Research objectives and contributions | 3 |
| 1.3 Thesis structure | 4 |
| 2 Pathwise Dynamic Programming and Duality | 6 |
| 2.1 Controlled Markov processes | 6 |
| 2.2 Stochastic switching with linear state dynamics | 9 |
| 2.2.1 Primal approximate solution | 12 |
| 2.2.2 Dual solution and diagnostics | 18 |
| 2.3 Conclusion | 21 |
| 3 Nearest Neighbors | 22 |
| 3.1 Introduction | 22 |
| 3.2 k Nearest Neighbors | 24 |
| 3.3 k -Means Clustering | 26 |
| 3.4 Programming libraries | 27 |
| 3.4.1 Julia | 27 |
| 3.4.2 R | 28 |
| 3.4.3 Python | 29 |
| 3.4.4 MATLAB | 29 |

| | | |
|----------|---|------------|
| 3.5 | Nearest Neighbor algorithm | 30 |
| 3.5.1 | Approximate Nearest Neighbor in primal algorithms | 30 |
| 3.5.2 | Approximate Nearest Neighbor in dual algorithms | 34 |
| 3.6 | Study: battery energy storage systems | 35 |
| 3.7 | Conclusion | 41 |
| 4 | Julia programming | 42 |
| 4.1 | Introduction | 42 |
| 4.2 | The implementation | 43 |
| 4.2.1 | Data fields and dimension | 45 |
| 4.2.2 | Outer and inner constructor | 45 |
| 4.2.3 | Functions | 46 |
| 4.2.4 | rcss module | 58 |
| 4.2.5 | Main program | 58 |
| 4.3 | Example: electric battery storage system | 60 |
| 4.3.1 | Problem setting | 63 |
| 4.3.2 | Case study | 68 |
| 4.3.3 | Implementation procedure | 70 |
| 4.4 | Conclusion | 85 |
| 5 | Variable reduction with battery control | 86 |
| 5.1 | Introduction | 86 |
| 5.2 | Variables reduction technique to battery control | 89 |
| 5.3 | Implementation idea | 98 |
| 5.4 | Conclusion | 99 |
| 6 | Optimal switching and applications | 101 |
| 6.1 | Portfolio optimization | 101 |
| 6.2 | Pairs trading | 102 |
| 6.2.1 | Cointegration techniques | 103 |
| 6.2.2 | Cointegration tests | 104 |
| 6.2.3 | Case study: cointegration | 109 |
| 6.2.4 | State-space model with linear dynamics | 114 |
| 6.3 | Commodity rollover strategy | 115 |
| 6.3.1 | Commodity spot price dynamics model | 118 |
| 6.3.2 | Cox-Ingersoll-Ross interest rate model (CIR) | 122 |
| 6.3.3 | Classification of commodities | 123 |

| | | |
|---|---|------------|
| 6.3.4 | The state-space representation | 124 |
| 6.3.5 | The ordinary filter | 127 |
| 6.3.6 | The quasi linear filter | 128 |
| 6.3.7 | Rollover strategies | 129 |
| 6.4 | Farm and agriculture management | 130 |
| Appendices | | 134 |
| A Cointegration testing result | | 135 |
| B Phillips and Ouliaris testing result | | 137 |
| C The Johansen's approach result | | 139 |
| Bibliography | | 141 |

List of Tables

| | |
|---|-----|
| 3.6.1 Value of the parameters using in the numerical illustration | 36 |
| 3.6.2 Computational time (minutes) based on 50 trajectories and 500 grid size with $\eta_1 = 100, \eta_2 = 15$ | 38 |
| 3.6.3 Solution diagnostics in different methods based on 50 trajectories with $\eta_1 =$ $100, \eta_2 = 15$ | 39 |
| 3.6.4 Solution diagnostics in the Fast method for differnt NN numbers based on 50 trajectories with $\eta_1 = 100, \eta_2 = 15$ | 40 |
| 4.3.1 Solution diagnostics using the Fast method based on 50 trajectories with $\eta_1 =$ $0, \eta_2 = 0, \Pi_0 = 10$, and standard error is in the parenthesis. | 77 |
| 4.3.2 Solution diagnostics using the Fast method based on 50 trajectories with $\eta_1 =$ $100, \eta_2 = 15, \Pi_0 = 10$, and standard error is in the parenthesis. | 78 |
| 4.3.3 Initial value of an empty battery at $\Pi_0 = 10$ depending on the parameter κ | 85 |
| 6.2.1 Descriptive summary of the dataset | 109 |
| 6.2.2 Augmented Dickey - Fuller (ADF) unit root test result | 109 |
| 6.2.3 Critical value for the ADF order of integration test | 110 |
| 6.2.4 Summary for ADF test for unit root in first difference form | 110 |
| 6.2.5 Phillips and Ouliaris: cointegration test | 112 |
| 6.2.6 Johansen's approach; trace test and maximum eigenvalue results | 112 |
| 6.2.7 The unnormalized Cointegrating Vector | 113 |

List of Figures

| | |
|---|----|
| 3.1.1 An approximation NNS concept. | 24 |
| 3.2.1 Choose the number k of neighbors: $k = 5$ | 25 |
| 3.2.2 Count the number of the data points in each category among the k NN. | 25 |
| 3.5.1 Using nearest neighbor for expected value function estimation. | 31 |
| 3.6.1 The computational time (minutes) of three methods at different grid sizes on 50 trajectories. | 38 |
| 4.2.1 The rcss package and main program components | 44 |
| 4.2.2 The main program calculation procedure | 59 |
| 4.3.1 Traditional energy dispatch. | 61 |
| 4.3.2 Energy dispatch in the presence of renewable energy and battery storage. | 61 |
| 4.3.3 The value function plot of first position with $\eta_1 = \eta_2 = 0$ (left) and $\eta_1 =$ $100, \eta_2 = 15$ (right) | 75 |
| 4.3.4 The value function plot of twentieth position with $\eta_1 = \eta_2 = 0$ (left) and $\eta_1 = 100, \eta_2 = 15$ (right) | 75 |
| 4.3.5 Sample paths for forward electricity price $(\Pi_t)_{t=0}^T$ | 79 |
| 4.3.6 Sample paths for the state process $(Z_t^{(2)})_{t=0}^T$ | 79 |
| 4.3.7 Forward electricity prices and battery levels for parameters in Table (3.6.1) with $\eta_1 = \eta_2 = 0$ and the lower part depicts the price trajectories. | 80 |
| 4.3.8 Forward electricity prices and battery levels for parameters in Table (3.6.1) with $\eta_1 = 100, \eta_2 = 15$ and the lower part depicts the price trajectories. | 80 |
| 4.3.9 Forward electricity prices and safety margins for parameters in Table (3.6.1) with $\eta_1 = \eta_2 = 0$ and the lower part depicts the price trajectories. | 81 |
| 4.3.10 Forward electricity prices and safety margins for parameters in Table (3.6.1) with $\eta_1 = 100, \eta_2 = 15$ and the lower part depicts the price trajectories. | 81 |
| 4.3.11 The value functions at $t = 0$ and optimal policies with $\eta_1 = \eta_2 = 0$. Each curve represents to a battery levels $p_0 \in \mathbf{P}$ with respect to a range of values for the state variable $Z_0^{(2)}$ | 83 |

| | | |
|--------|--|-----|
| 4.3.12 | The value functions at $t = 0$ and optimal policy with $\eta_1 = 100, \eta_2 = 15$. Each curve represents to a battery levels $p_0 \in \mathbf{P}$ with respect to a range of values for the state variable $Z_0^{(2)}$ | 83 |
| 4.3.13 | Initial value of an empty battery at $\Pi_0 = 10$ depending on capacity levels and parameter $\kappa = 0.97$ (lower line) and $\kappa = 1$ (upper line). | 85 |
| 6.2.1 | Time series plot for individual carrier energy NGZ4 and RBZ4 | 110 |
| 6.2.2 | A plot of first differences series of RBZ4 | 111 |
| 6.2.3 | A plot of first differences series of NGZ4 | 111 |
| 6.2.4 | Time series plot, ACF and PACF plot | 113 |
| 6.2.5 | Output of Diagnostic Test of the linear combination | 114 |